

Research and Special Programs Administration 400 Seventh Street, S.W. Washington, D.C. 20590

JUN 18 2001

DOT-E 12474 (FIRST REVISION)

EXPIRATION DATE: August 31, 2002

(FOR RENEWAL, SEE 49 CFR § 107.109)

1. <u>GRANTEE</u>: Department of Defense

Falls Church, VA

### 2. PURPOSE AND LIMITATION:

- a. This exemption authorizes the one-time roundtrip transportation in commerce of six (6) non-DOT specification cylinders containing a Division 2.2 compressed gas for a Department of Defense/Japan Defense Agency joint training exercise at the Yakima, Washington Training Center. This exemption provides no relief from any Hazardous Materials Regulation (HMR) other than as specifically stated herein.
- b. The safety analyses performed in development of this exemption only considered the hazards and risks associated with transportation in commerce. The safety analyses did not consider the hazards and risks associated with consumer use, use as a component of a transport vehicle or other device, or other uses not associated with transportation in commerce.
- 3. <u>REGULATORY SYSTEM AFFECTED</u>: 49 CFR Parts 106, 107 and 171-180.
- 4. REGULATIONS FROM WHICH EXEMPTED: 49 CFR § 172.301(c) in that the cylinders are not required to be marked with the exemption number; § 173.302(a) in that non-DOT specification cylinders are not authorized except as described herein.
- 5. <u>BASIS</u>: This exemption is based on the application of the Department of Defense dated June 11, 2001 submitted in accordance with 49 CFR § 107.105 and the public proceeding thereon.

## 6. <u>HAZARDOUS MATERIALS (49 CFR § 172.101)</u>:

JUN 18 2001

Proper Shipping Name/ Hazardous Materials Description	Hazard Class/ Division	Identi- fication Number	Packing Group
Nitrogen, compressed	2.2	UN1066	N/A

## 7. <u>SAFETY CONTROL MEASURES</u>:

#### a. PACKAGING -

- (1) Packagings prescribed are non-DOT specification cylinders manufactured in Japan and approved in accordance with Japanese High Pressure Gas Safety Law. The cylinders conform with the design calculations, drawings, material specifications, and engineering specifications submitted with the application for exemption on file with the Office of Hazardous Materials Exemptions and Approvals (OHMEA).
- (2) Only cylinders with the following serial numbers are authorized:

Nitrogen Cylinders	
Serial Number	
3Ь 15791	201.
3L 15792	
3L 15793	
3L 15794	
3L 15795	
3L 15796	

(3) New construction is not authorized.

#### b. OPERATIONAL CONTROLS -

(1) Transportation is limited to a one-time roundtrip, per cylinder, from the Port of Tacoma, Washington to the Yakima Training Center, Yakima, Washington.

# IJUN 18 1001

- (2) Each cylinder must be packed in strong outside packagings as prescribed in § 173.301(k) and as described in the application on file with the OHMEA.
- (3) Each outside packaging must be marked "INSIDE CONTAINERS CONFORM WITH DOT-E 12474".
- (4) Transportation is authorized with the mounting and securement of up to 6 Nitrogen cylinders contained within their respective overpacks on the unit load device detailed in the application for exemption on file with the OHMEA.

## 8. <u>SPECIAL PROVISIONS</u>:

- a. A person who is not a holder of this exemption who receives a package covered by this exemption may reoffer it for transportation provided no modifications or changes are made to the package and it is reoffered for transportation in conformance with this exemption and the HMR.
- b. A current copy of this exemption must be maintained at each facility where the package is offered or reoffered for transportation.
- c. The marking requirement specified in § 172.301(c) is waived.
- d. The non-DOT specification cylinders are limited to use in the joint training exercise at the Yakima, Washington Training Center described within the application for exemption on file with OHMEA.
- 9. <u>MODES OF TRANSPORTATION AUTHORIZED</u>: Motor vehicle, cargo vessel.
- 10. <u>MODAL REQUIREMENTS</u>: A current copy of this exemption must be carried aboard each cargo vessel and motor vehicle used to transport packages covered by this exemption.
- 11. <u>COMPLIANCE</u>: Failure by a person to comply with any of the following may result in suspension or revocation of this exemption and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 <u>et seq</u>:

Page 3

JUN 18 2001

- O All terms and conditions prescribed in this exemption and the Hazardous Materials Regulations, 49 CFR Parts 171-180.
- o Registration required by § 107.601 et seq., when applicable.

Each "Hazmat employee", as defined in § 171.8, who performs a function subject to this exemption must receive training on the requirements and conditions of this exemption in addition to the training required by §§ 172.700 through 172.704.

No person may use or apply this exemption, including display of its number, when this exemption has expired or is otherwise no longer in effect.

12. REPORTING REQUIREMENTS: The carrier is required to report any incident involving loss of packaging contents or packaging failure to the Associate Administrator for Hazardous Materials Safety (AAHMS) as soon as practicable. (Sections 171.15 and 171.16 apply to any activity undertaken under the authority of this exemption.) In addition, the holder(s) of this exemption must inform the AAHMS, in writing, of any incident involving the package and shipments made under the terms of this exemption.

Issued at Washington, D.C.:

Robert A. McGuire

Associate Administrator for

Hazardous Materials Safety

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Research and Special Programs Administration, Department of Transportation, Washington, D.C. 20590. Attention: DHM-31.

The original of this exemption is on file at the above office. Photo reproductions and legible reductions of this exemption are permitted. Any alteration of this exemption is prohibited.

Copies of exemptions may be obtained from the AAHMS, U.S. Department of Transportation, 400 7th Street, Washington, DC 20590-0001, Attention: Record Center, 202-366-5046.

PO: SSTANISZEWSKI